Author Index

Alford, Jr., J.S., see Boeck, L.D., 247
Arcuri, E., see Monaghan, R.L., 97
Arison, B.H., see Chen, T.S., 231
Atlas, R.M., see Steffan, R.J., 441
Auffray, Y., see Lautier, M., 13

Babeu, L., see Vaishnav, D.D., 307
Baisden, D.K., see Mahoney, D.F., 43
Baker, E.E., see Monaghan, R.L., 97
Batt, C.A., see Wong, D.W.S., 1
Bazaraa, W.A. and Hamdy, M.K.
Fructose production by immobilized *Arthrobacter* cells, 267
Bencivengo, M.M., see Buchanan, R.L., 189
Bigelis, R. and Black, K.A.
Selection of spontaneous mutants of *Yarrowia lipolytica* by inositol-less death, 435
Birrer, G.A., Chesbro, W.R. and Zsigray, R.M.
Protoplast formation, L-colony growth, and regeneration of *Clostridium beijerinckii* NRRL B-592 and B-593 and *Clostridium acetobutylicum* ATCC 10132, 325
Black, K.A., see Bigelis, R., 435
Blackall, L.K. and Marshall, K.C.
The mechanism of stabilization of actinomycete foams and the prevention of foaming under laboratory conditions, 181
Boeck, L.D., Alford, Jr., J.S., Pieper, R.L. and Huber, F.M.
Interaction of media components during bioreactior sterilization: definition and importance of RO, 247
Boutibonnes, P., see Lautier, M., 13
Breen, A., see Steffan, R.J., 441
Buchanan, R.L., Bencivengo, M.M. and Palumbo, S.A.
Comparison of lethalities in mouse versus goldfish for clinical and food isolates of *Aeromonas hydrophila*, 189
Buchholz, S.E., Dooley, M.M. and Eveleigh, D.E.
Growth of *Zymomonas* on lactose: gene cloning in combination with mutagenesis, 19
Buckland, B.C., see Monaghan, R.L., 97
Bury, S., see Zhang, X., 239
Byrne, G.S. and Ward, O.P.
Growth of *Rhizopus arrhizus* in fermentation media, 155

Cadmus, M.C., Slodki, M.E. and Nicholson, J.J.
High-temperature, salt-tolerant xanthanase, 127
Chan, E.-C., Ueng, P.P., Eder, K.L. and Chen, L.F.
Integration and expression of the *Escherichia coli* xylose isomerase gene in *Schizosaccharomyces pombe*, 409
Charles, M., see Leh, M.B., 65
Charles, M., see Leh, M.B., 71
Charles, M., see Leh, M.B., 77
Chen, L.F., see Chan, E.-C., 409
Chen, S., see Parekh, S.P., 81
Chen, T.S., Arison, B.H., Gullo, V.P. and Inamine, E.S.
Further studies on the biosynthesis of the evermectins, 231
Cheryan, M., see Qureshi, N., 453
Chesbro, W.R., see Birrer, G.A., 325
Cochran, J.W., see Henson, J.M., 29
Cooney, J.J. and Wuertz, S.
Toxic effects of tin compounds on microorganisms, 375
Cooney, J.J., De Rome, L., Laurence, O. and Gadd, G.M.
Effects of organotin and organolead compounds on yeasts, 279

D'Amore, T., Russell, I. and Stewart, G.G.
Sugar utilization by yeast during fermentation, 315
Dashek, W.V., see Moore, N.L., 349
De Rome, L., see Cooney, J.J., 279
DiBiasio, D., see Zhang, X., 239
Dooley, M.M., see Buchholz, S.E., 19
Dott, W., Feidieker, D., Kämpfer, P., Schleibinger, H. and Strechel, S.
Comparison of autochtonous bacteria and commercially available cultures with respect to their effectiveness in fuel oil degradation, 365

Eder, K.L., see Chan, E.-C., 409
El Kanouni, A., see Junelles, A.M., 121
Elo, S., see Väisänen, O., 419
Elsavage, R.E. and Sexstone, A.J.
Biodegradation of a dilute waste oil emulsion applied to soil, 289
Eveleigh, D.E., see Buchholz, S.E., 19

Feidieker, D., see Dott, W., 365
Fendinger, N.J., see Radway, J.C., 195
Forenza, S., see Lam, K.S., 105

Gadd, G.M., see Cooney, J.J., 279
Gay, R., see Junelles, A.M., 121
Goetz, M.A., see Monaghan, R.L., 97
Gosink, K.K., see Thorne, L., 135
Goysich, M.J. and McCoy, W.F.
A quantitative method for determining the efficacy of algicides in industrial cooling towers, 429
Greasham, R.L., see Monaghan, R.L., 97
Gullo, V.P., see Chen, T.S., 231
Gullo, V.P., see Hegde, V.R., 209

Hamdy, M.K., see Bazaraa, W.A., 267
Han, Y.W.
Levan production by *Bacillus polymyxa*, 447
Hart, R.F., see Hegde, V.R., 209

Hegde, V.R., Wittreich, H., Patel, M.G., Horan, A.C., Hart, R.F., Troyanovich, J.J., Puar, M.S. and Gullo, V.P.
Naturally produced isocoumarins: inhibitors of calmodulin-sensitive cyclic guanosine 3′,5′-monophosphate phosphodiesterase, 209
Hellekant, G., see Illingworth, C., 37
Henson, J.M., Yates, M.V. and Cochran, J.W.
Metabolism of chlorinated methanes, ethanes, and ethylenes by a mixed bacterial culture growing on methane, 29
Horan, A.C., see Hegde, V.R., 209
Houck, D.R., see Monaghan, R.L., 97
Huber, F.M., see Boeck, L.D., 247

Ihnen, E.D., see Monaghan, R.L., 97
Illingworth, C., Larson, G. and Hellekant, G.
Secretion of the sweet-tasting plant protein thaumatin by *Streptomyces lividans*, 37
Inamine, E.S., see Chen, T.S., 231
Inamine, E.S., see Monaghan, R.L., 97

Johnson, M.C., see Ray, S.K., 163
Junelles, A.M., El Kanouni, A., Petidemange, H. and Gay, R.
Influence of acetic and butyric acid addition on polysaccharide formation by *Clostridium acetobutylicum*, 121

Karimi, S. and Ward, O.P.
Comparative study of some microbial arabinan-degrading enzymes, 173
Kimbrough, T.D., see Weekley, L.B., 275
King, J.J., see Monaghan, R.L., 97
Knapp, R.M., see Raiders, R.A., 215
Korthals, E.T., see Vaishnav, D.D., 307
Kämpfer, P., see Dott, W., 365

Lam, K.S., Mattei, J. and Forenza, S.
Carbon catabolite regulation of rebeccamycin production in *Saccharothrix aerocolonigenes*, 105
Larson, G., see Illingworth, C., 37
Laurence, O., see Cooney, J.J., 279
Lautier, M., Thammavong, B., Auffray, Y. and Boutibonnes, P.
Liquid holding recovery and photoreactivation of UV-induced damage in *Streptococcus lactis*, 13
Leathers, T.D.
Purification and properties of xylanase from *Aureobasidium*, 341
Lee, H., see Van Dyke, M.I., 299
Lee, M.D., see Thomas, J.M., 109
Leh, M.B. and Charles, M.
Lactic acid production by batch fermentation of whey permeate: a mathematical model, 65
Leh, M.B. and Charles, M.
The effect of whey protein hydrolyzates on the lactic acid fermentation, 71
Leh, M.B. and Charles, M.
The effect of whey protein hydrolyzate average molecular weight on the lactic acid fermentation, 77
Lesniak, E., see Monaghan, R.L., 97
Liang, L.-N., see Suflita, J.M., 255
Linton, J.D. and Rye, A.J.
The relationship between the energetic efficiency in different micro-organisms and the rat and type of metabolite over-produced, 85
Llewellyn, G.C., see Weekley, L.B., 275
Long, A. and Ward, O.P.
Biotransformation of aromatic aldehydes by *Saccharomyces cerevisiae*: investigation of reaction rates, 49

Mahoney, D.F., Baisden, D.K. and Yao, R.C.
A peptide binding chromogenic assay for detecting glycopeptide antibiotics, 43
Mariam, D.H., see Moore, N.L., 349
Marmo, S., see Väisänen, O., 419
Marquet, M., Mikolajczak, M., Thorne, L. and Pollock, T.J.
Improved strains for production of xanthan gum by fermentation of *Xanthomonas campestris*, 55
Marshall, K.C., see Blackall, L.K., 181
Masurekar, P.S., see Monaghan, R.L., 97
Mattei, J., see Lam, K.S., 105
McCoy, W.F. and Wireman, J.W.
Efficacy of bromochlorodimethylhydantoin against *Legionella pneumophila* in industrial cooling water, 403
McCoy, W.F., see Goysich, M.J., 429
McFall, S.M. and Montville, T.J.
pH-mediated regulation of pyruvate catabolism in *Lactobacillus plantarum* chemostat cultures, 335
McInerney, M.J., see Raiders, R.A., 215
Mikolajczak, M., see Marquet, M., 55
Miller, J.E., see Zhang, X., 239
Monaghan, R.L., Arcuri, E., Baker, E.E., Buckland, B.C., Greasham, R.L., Houck, D.R., Ihnen, E.D., Inamine, E.S., King, J.J., Lesniak, E., Masurekar, P.S., Schulman, C.A., Singleton, B. and Goetz, M.A.
History of yield improvements in the production of asperlicin by *Aspergillus alliaceus*, 97
Montville, T.J., see McFall, S.M., 335
Moore, N.L., Mariam, D.H., Williams, A.L. and Dashek, W.V.
Substrate specificity, de novo synthesis and partial purification of polyphenol oxidase derived from the wood-decay fungus, *Coriolus versicolor*, 349
Mortelmans, K.
Effect of photoreactivating light on survival of ultraviolet-light-irradiated *Streptomyces lividans*, 7

Nicholson, J.J., see Cadmus, M.C., 127

Palumbo, S.A., see Buchanan, R.L., 189
Parekh, S.P., Chen, S. and Wayman, M.
High solids fermentation of hydrolysates of wheat starch B in a continuous dynamic immobilized biocatalyst bioreactor, 81
Patel, M.G., see Hegde, V.R., 209
Petidemange, H., see Junelles, A.M., 121

Pieper, R.L., see Boeck, L.D., 247
Pollock, T.J., see Marquet, M., 55
Pollock, T.J., see Thorne, L., 135
Puar, M.S., see Hegde, V.R., 209

Qureshi, N. and Cheryan, M.
Effect of lactic acid on growth and butanediol production by *Klebsiella oxytoca*, 453

Radway, J.C., Tuttle, J.H. and Fendinger, N.J.
Influence of coal source and treatment upon indigenous microbial communities, 195
Raiders, R.A., Knapp, R.M. and McInerney, M.J.
Microbial selective plugging and enhanced oil recovery, 215
Ray, B., see Ray, S.K., 163
Ray, S.K., Johnson, M.C. and Ray, B.
Bacteriocin plasmids of *Pediococcus acidilactici*, 163
Russel, I., see D'Amore, T., 315
Rye, A.J., see Linton, J.D., 85

Salkinoja-Salonen, M., see Väisänen, O., 419
Saxena, A., see Suflita, J.M., 255
Sayler, G.S., see Steffan, R.J., 441
Schleibinger, H., see Dott, W., 365
Schulman, C.A. see Monaghan, R.L., 97
Scott, M.J., see Thomas, J.M., 109
Sexstone, A.J., see Elsavage, R.E., 289
Sherertz, P.C., see Weekley, L.B., 275
Singleton, B., see Monaghan, R.L., 97
Slodki, M.E., see Cadmus, M.C., 127
Steffan, R.J., Breen, A., Atlas, R.M. and Sayler, G.S.
Monitoring genetically engineered microorganisms in freshwater microcosms, 441
Stewart, G.G., see D'Amore, T., 315
Strechel, S., see Dott, W., 365
Suflita, J.M., Liang, L.-N. and Saxena, A.
The anaerobic biodegradation of *o*-, *m*- and *p*-cresol by sulfate-reducing bacterial enrichment cultures obtained from a shallow anoxic aquifer, 255

Tanner, R.S.
Comparative testing and evaluation of hard-surface disinfectants, 145
Thammavong, B., see Lautier, M., 13
Thomas, J.M., Lee, M.D., Scott, M.J. and Ward, C.H.
Microbial ecology of the subsurface at an abandoned creosote waste site, 109
Thorne, L., Gosink, K.K. and Pollock, T.J.
Mutants of *Xanthomonas campestris* defective in secretion of extracellular enzymes, 135
Thorne, L., see Marquet, M., 55
Trevors, J.T., see Van Dyke, M.I., 299
Troyanovich, J.J., see Hegde, V.R., 209
Tuttle, J.H., see Radway, J.C., 195

Ueng, P.P., see Chan, E.-C., 409

Vaishnav, D.D., Babeu, L. and Korthals, E.T.
Effect of microbial concentration on biodegradation rates of phenols, 307
Van Dyke, M.I., Lee, H. and Trevors, J.T.
Germanium toxicity in selected bacterial and yeast strains, 299
Väisänen, O., Elo, S., Marmo, S. and Salkinoja-Salonen, M.
Enzymatic characterization of *Bacilli* from food packaging paper and board machines, 419

Ward, C.H., see Thomas, J.M., 109
Ward, O.P., see Burne, G.S., 155
Ward, O.P., see Karimi, S., 173
Ward, O.P., see Long, A., 49
Wayman, M., see Parekh, S.P., 81
Weekley, L. B., Sherertz, P.C., Kimbrough, T.D. and Llewellyn, G.C.
Altered bacterial culture density following exposure to aflatoxins, 275
Williams, A.L., see Moore, N.L., 349
Wireman, J.W., see McCoy, W.F., 403
Wittreich, H., see Hegde, V.R., 209
Wong, D.W.S., Yee, L.N.H. and Batt, C.A.
Thermal inducible expression of xylose isomerase and its performance in a hollow fiber bioreactor, 1
Wuertz, S., see Cooney, J.J., 375

Yao, R.C., see Mahoney, D.F., 43
Yates, M.V., see Henson, J.M., 29
Yee, L.N.H., see Wong, D.W.S., 1

Zhang, X., Bury, S., DiBiasio, D. and Miller, J.E.
Effects of immobilization on growth, substrate consumption, β-galactosidase induction, and byproduct formation in *Escherichia coli*, 239
Zsigray, R.M., see Birrer, G.A., 325

Subject Index

Acetate, 239, 335
Acetoin, 335
Activated sludge, 365
Adaptation, 109
Aflatoxin, 275
Alcaligenes A5, 441
Alginate, 239
Amylase, 135
Anaerobic biodegradation, 255
Antitumor antibiotic, 105
Arabanase, 173
Arabinan-degrading enzyme, 173
ATP turnover, 85
ATP/O quotient, 85
Aureobasidium, 341
Auxothrops, 435
Avermectin, 231

Bacillus, 419
Bacitracin, 55
Bacterial cultures, 365
Bacterial enrichment, 255
Bacteriocin, 163
Bacterium, 275
Benzaldehyde, 49
Bioaccumulations, 299
Bioassay, 275
Biocatalyst bioreactor, 81
Biodegradation, 109, 289, 365
Biodegradation kinetics, 307
Biodegradation rates, 307
Biofilm, 429
Biofouling, 215
Biomass and biodegradation, 307
Bioreactor, 247
Biosynthesis, 231
Biotransformation, 49
Brewer's wort, 315
Bromochloroimethylhydantoin, 403
2,3-Butanediol, 453
Butyltins, 375

Capsule, 121
Carbon balance, 239
Carbon catabolite regulation, 105
Cell growth, 275
Cell wall inhibition, 43
Cellulase, 135
Cellulase, 419
Chlorine dioxide, 145
Chloroform, 29
Cholecystokinin, 97
Citric acid, 435
Cloning, 19
Clostridium acetobutylicum, 121, 325
Clostridium beijerinckii, 325
Clostridium genetics, 325
Coal leaching, 195
Color variants, 341
Continuous dynamic immobilized biocatalyst bioreactor, 81
Coriolus versicolor, 349
Creosote, 109
Cresol, 255
Cytotoxin, 189

Density, 275
Depolymerase, 127
Desulfurization, 195
Dichloromethane, 29
Disinfectant, 145
DNA hybridization, 441

Endoprotease, 77
Energetics, 85
Environmental survival, 441
Enzyme expression, 1
Enzyme inhibitor, 209
Escherichia coli, 1
Ethanol fermentation, 81
Ethanol, 453
Exopolysaccharide, 55, 121
Exported recombinant protein, 37

Fermentation, 447
Fermentation broth, 43
Fermentation development, 97
Fermentation medium, 155
Filamentous growth, 155
F_0, 247
Food packaging, 419
Food safety, 189
Fructose, 267, 447
Fuel oil, 365
Fungal growth, 155

β-Galactosidase, 37
Gastroenteritis, 189
Gene probe, 441
Germanium, 299
Glucose, 267, 453

Glucose isomerase, 267
Glutaraldehyde, 145
cGMP phosphodiesterase, 209
Granulose, 121
Ground water, 109, 255
Growth on lactose, 19

Halogenated hydrocarbons, 29
Heat-tolerant enzyme, 127
Hemicellulase, 341
Hollow fiber bioreactor, 1
Hydrocarbon, 109
Hydrocarbon affinity, 181
Hydrogen peroxide, 145
Hyphal morphology, 155
Hypochlorite, 145

Immobilization, 81, 267
Industrial cooling water, 403
Inositol, 435
Inulin, 447
Iodine, 145
Isocoumarin, 209

K-carrageenan, 267
Kinetics, 65
Klebsiella oxytoca, 453

L-colony, 325
Lactate, 335
Lactic acid, 453
Lactobacillus bulgaricus, 65, 71, 77
Landfarming, 289
Lead, 279
Leader peptide, 37
Legionella pneumophila, 403
Leudeking-Piret model, 65
Liquid holding recovery, 13
Lyase, 127

Media, 247
Metabolism, 239
Metabolite overproduction, 85
Metal-working coolants, 289
Methane-utilizing bacteria, 29
Methiltins, 375
Microbial enhanced oil recovery, 215
Microbial gum, 447
Microbial selective plugging, 215
Microorganism, 109
Montmorillonite, 181
Mutant selection, 435
Mutation, 13

p-Nitrophenyl-α-L-arabinosidase, 173
Nocardia amarae, 181

Oligosaccharide, 127
On-site oil disposal, 289
Organoleads, 279
Organotins, 279, 375
Oxido-reduction, 121

Paper and board machines, 419
Partial purification, 349
Pathogenesis, 135
Pediococcus acidilactici, 163
Peptide average molecular weight, 65, 71, 77
Permeability, 215
Petroleum microbiology, 215
pH-homeostasis, 335
Phenol, 145, 255
Phenol biodegradation rate constants, 307
Phenotype, 163
1-Phenylacetyl carbinol, 49
Phosphodiesterase, 209
Photoreactivation, 7, 13
Plasmid curing, 163
Polyfructans, 447
Polyphenol oxidase, 349
Polysaccharides, 447
Productivity, 55
Proteases, 419
Protoplast regeneration, 325
Pseudomonas cepacia AC1100, 441

Quaternary ammonium compound, 145

Rebeccamycin, 105
Recombinant protein, 37
Rhizopus arrhizus, 155
Rifapicin, 55
R_0, 247

Saccharomyces cerevisiae, 49, 81
Saccharothrix aerocolonigenes, 105
Salt-tolerant enzyme, 127
Sampling, 429
Schizosaccharomyces pombe, 409
Secondary metabolite, 209
Secretion, 135
Sensitivity, 299
Slimicides, 419
Starch degrading enzymes, 419
Sterilization, 247
Streptomyces avermitilis, 231
Streptomyces lactis, 13
Streptomyces lividans, 7
Substrate specificity, 349
Subsurface, 109
Sucrose, 447
Sugar uptake, 315
Sulfate-reduction, 255

Surface tension, 181
de novo Synthesis, 349

Thaumatin, 37
Thermally inducible, 1
Thiobacilli, 195
Tin, 279, 375
Tolerance, 299
Toxicity, 299, 375
Tributyltin, 279, 375
Trichloroethylene, 29

UV irradiation, 13
UV survival, 7

Vancomycin, 43
Viscosity, 55
Viscosity breaker, 127
Visible light, 7

Waste-oil emulsions, 289
Wheat starch, 81
Whey permeate, 71
Wood-decay fungus, 349

Xanthan gum, 135
Xanthomonas campestris, 135
Xylanase, 341
Xylose fermentation, 409
Xylose isomerase, 1
Xylose isomerase gene, 409

Yarrowia, 435
Yeast, 49, 315
Yeasts, 279

Zymomonas mobilis, 19